



[www.SuperStartBatteries.net](http://www.SuperStartBatteries.net)  
**BATTERY & CABLE**  
**ONLINE CATALOG**



Visit our SuperStart East on-line battery and cable catalog at [www.SuperStartBatteries.net](http://www.SuperStartBatteries.net)

- Interactive battery and cable lookup for passenger cars and light trucks.
- Search options for other applications such as power sport and farm equipment.
- Cross reference guide to other brand part numbers.
- Access to battery and cable images, part attributes, MSDS, and buyers guide.
- Image and product data for non-application parts located under the Specialty Application section.
- Battery data, technical files, and sales flyers.



## FIRST IN, FIRST OUT BATTERY PULLING ORDER

### How to Properly Read Date Code Labels

1. Always pull oldest battery first.
2. First look for color of date code label.
3. **BLACK** – newest (6 months or less)  
**GREEN** – new (6-12 months)  
**RED** – older (12-18 months)
 

4/18

4/18

4/18
4. Find oldest batteries by date code label color.
5. Out of those batteries, then choose oldest battery by alphanumeric date. See Date Code chart below.

### Battery Code Date Chart

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2016	A6	B6	C6	D6	E6	F6	G6	H6	J6	K6	L6	M6
2017	A7	B7	C7	D7	E7	F7	7/17	8/17	9/17	10/17	11/17	12/17
2018	1/18	2/18	3/18	4/18	5/18	6/18	7/18	8/18	9/18	10/18	11/18	12/18
2019	1/19	2/19	3/19	4/19	5/19	6/19	7/19	8/19	9/19	10/19	11/19	12/19
2020	1/20	2/20	3/20	4/20	5/20	6/20	7/20	8/20	9/20	10/20	11/20	12/20
2021	1/21	2/21	3/21	4/21	5/21	6/21	7/21	8/21	9/21	10/21	11/21	12/21

# Battery Equipment and Procedure Guide

Using Proper Equipment and Following the Right Procedure is Important!

	EQUIPMENT TO HAVE	DESCRIPTION	AVAILABLE FROM
	AUM BVA 230	Hand Held Tester	Order from DC
	AUM AC60	BVA2300ZR Lead Assembly	Order from DC
	AUM AC66	BVA2300ZR USB Cable	Order from DC
	AUM XTC 160	Bench Tester / Charger	Order from DC
	AUM AC56	Pigtail Replacement Kit	Order from DC
	AUM AC59	XTC1600ZR Lead Assembly	Order from DC
	AUM AC64	IR Receiver	Order from DC
	AUM AC67	Temp Probe Kit for XTC160 OZR	Order from DC
	AUM AC71	Temp Probe Bracket Only	Order from DC
	AUM AC88	Main Communication Cable	Order from DC
If Volume Dictates a Second Unit...DM to Call Store Operations at Corporate for Approval			
	SHU SE40Map	Customer Battery Charger	Order from DC
	SSB Charger or Charger J	DPI Rotation Charger	Order from DC
	APA APT2005	Heat Gun	Order from DC
	MS Battery Box	Charging Chamber	Order from DC
	MS Tester Bench	Bench for Battery Box	Store Design Dept.
	Where to find tester and replacement information	Team Net / Store Equipment Instructions / 8001 Battery Testers / 8005	
SUPPLIES TO HAVE			
	MS Battery Bag	Battery Bag for Core Returns	Order from DC
	MS Large Battery Bag	Larger Battery Bag for Core Returns	Order from DC
	AUM PR17-Paper	Tester Printer Paper	Order from DC
	MS Cust Batt Tag	Label for Charging / Testing Cust. Battery	Order Parts System
	MS RBT Label	Reconditioned Battery Label	Order Parts System
	Rotation Kits	Date Code Stickers	Via E-Form
	MS EYE Wash Refill	Refill for Eyewash Station	Order from DC
	SAS5140	Face Shield	Order from DC
	MS Apron	Battery Apron	Order from DC
WHERE TO FIND REPLACEMENT INFORMATION			
	Store Signage		Store Design Dept.
	Store Fixtures		Store Design Dept.
	Battery Poster		Via E-Form
PROCEDURES			
	Battery Rotation	Team Net / Library / Store Operations Manual / 700 Inventory Procedures / 760 Battery Rotation	
	Battery Reconditioning	Team Net / Library / Store Operations Manual / 700 Inventory Procedures / 761 Rotated Battery Program	
	Automotive - Battery Overview	Team Net Training LMS	
	Automotive - Battery Product Offering	Team Net Training LMS	
	Automotive - Battery Successful Selling part #1	Team Net Training LMS	
	Automotive - Battery Successful Selling part #2	Team Net Training LMS	
	Automotive - Battery Types Overview	Team Net Training LMS	
	Pallet Building - Stores	Team Net Training LMS	
	Safety	Team Net Training LMS	
	Battery Stocking & Min/Max Change Request		Inventory Control Analyst
	Inventory Adjustments	Monthly Cycle Counts with Rotation	

**CALL 1-866-938-3778**  
**O'REILLY STORE EQUIPMENT TEAM**  
**FOR QUESTIONS ON AUTOMETER TESTERS & BATTERY KIOSK**

# CHARGING TIPS

## USE CHARGING POSTS

**Charging Posts** should be used to ensure the best testing and charging results for batteries. The charging posts will provide a flush, lead-to-lead contact. Be sure to tighten the charging post until it is snug and secure. This will allow a strong current to pass from the charging post to the battery terminal.


**DO NOT USE** Stainless Steel Nuts or Threaded Studs for testing or charging batteries. They do not provide the necessary lead-to-lead contact, and can reduce your cold cranking amperage (CCA) and state of charge readings.




Battery Nut



Threaded Stud



For Side Terminals  
Use Part# SS 01335



For Threaded Stud Terminals  
Use Part# SS 01477



For Side Terminals  
Use Part# SS 01335



For Threaded Stud Terminals  
Use Part# SS 01477